

Package: cyclocomp (via r-universe)

June 26, 2024

Title Cyclomatic Complexity of R Code

Version 1.1.1.9000

Author Gabor Csardi

Maintainer Gabor Csardi <csardi.gabor@gmail.com>

Description Cyclomatic complexity is a software metric (measurement), used to indicate the complexity of a program. It is a quantitative measure of the number of linearly independent paths through a program's source code. It was developed by Thomas J. McCabe, Sr. in 1976.

License MIT + file LICENSE

URL <https://github.com/gaborcsardi/cyclocomp>

BugReports <https://github.com/gaborcsardi/cyclocomp/issues>

Imports callr, crayon, desc, remotes, withr

Suggests testthat

RoxygenNote 7.2.3

Encoding UTF-8

Repository <https://gaborcsardi.r-universe.dev>

RemoteUrl <https://github.com/gaborcsardi/cyclocomp>

RemoteRef HEAD

RemoteSha c7aded2120256f8cea39c972b0b68302c4490e38

Contents

cyclocomp	2
cyclocomp_package	3
cyclocomp_package_dir	4

Index	5
--------------	----------

cyclocomp

Cyclomatic Complexity of R Code

Description

Cyclomatic complexity is a software metric (measurement), used to indicate the complexity of a program. It is a quantitative measure of the number of linearly independent paths through a program's source code. It was developed by Thomas J. McCabe, Sr. in 1976.

Calculate the cyclomatic complexity of an R function or expression.

Usage

```
cyclocomp(expr)
```

```
cyclocomp_q(expr)
```

Arguments

expr An R function or expression.

Value

Integer scalar, the cyclomatic complexity of the expression.

See Also

Useful links:

- <https://github.com/gaborcsardi/cyclocomp>
- Report bugs at <https://github.com/gaborcsardi/cyclocomp/issues>

Other cyclomatic complexity: [cyclocomp_package_dir\(\)](#), [cyclocomp_package\(\)](#)

Examples

```
## Supply a function
cyclocomp(
  function(arg) { calculate(this); and(that) }
)
cyclocomp(ls)
cyclocomp(cyclocomp)

## Or a quoted expression
cyclocomp(quote( if (condition) "foo" else "bar" ))

## cyclocomp_q quotes the expression for you
cyclocomp_q(while (condition) { loop })

## Complexity of individual control flow constructs
```

```
cyclocomp(quote({
  if (condition) this
}))

cyclocomp(quote({
  if (condition) this else that
}))

cyclocomp(quote({
  for (var in seq) expr
}))

cyclocomp(quote({
  while (cond) expr
}))

cyclocomp(quote({
  repeat expr
}))

cyclocomp(quote({
  for (var in seq) {
    this
    break
    that
  }
}))

cyclocomp(quote({
  for (var in seq) {
    this
    next
    that
  }
}))
```

cyclocomp_package *Cyclomatic complexity of the objects in an installed package*

Description

Note that the package must be installed.

Usage

```
cyclocomp_package(package)
```

Arguments

package Package name, character scalar.

Value

Data frame with two columns: name and cyclocomp.

See Also

Other cyclomatic complexity: [cyclocomp_package_dir\(\)](#), [cyclocomp\(\)](#)

Examples

```
## They might take a while to run
## Not run:
cyclocomp_package("grDevices")
cyclocomp_package("methods")

## End(Not run)
```

`cyclocomp_package_dir` *Cyclomatic complexity of a local package*

Description

Automatically builds the package and installs it to a temporary directory.

Usage

```
cyclocomp_package_dir(path = ".")
```

Arguments

path Path to the root directory of the R package.

Value

Data frame with two columns: name and cyclocomp.

See Also

Other cyclomatic complexity: [cyclocomp_package\(\)](#), [cyclocomp\(\)](#)

Index

* cyclomatic complexity

cyclocomp, [2](#)

cyclocomp_package, [3](#)

cyclocomp_package_dir, [4](#)

cyclocomp, [2](#), [4](#)

cyclocomp-package (cyclocomp), [2](#)

cyclocomp_package, [2](#), [3](#), [4](#)

cyclocomp_package_dir, [2](#), [4](#), [4](#)

cyclocomp_q (cyclocomp), [2](#)